

Williams County, Ohio

| Status | Correlation Date | Area Name | Legend text notes |
|--------|-------------------------|-----------------------|---|
| Update | 8/1/1975 12:00:00 AM | Williams County, Ohio | <p>07/08/2004</p> <p>11/17/2004 - New export to soil data warehouse to include OH rule names in the new standard format, and to include results of corrected water content calculation. Jeff Glanville 11/17/2004</p> <p>06/21/2006 - Includes data required by National Bulletin 430-5-7. Jeff Glanville</p> <p>12/12/2006 - Includes data required by National Bulletin 430-5-7. Jeff Glanville</p> <p>10-02-2007 - Edited soil moisture for Seward component in SdC (051SdC). No edits to top depths of wet layer. Jeff Glanville</p> <p>06/03/2009 - Added new map units as a result of MLRA recorrelation activities. New map units are</p> <p>HcA - Hoytville silty clay loam, 0 to 1 percent slopes HoA - Hoytville clay loam, 0 to 1 percent slopes</p> <p>The following map units were deleted:</p> <p>Ho - Hoytville clay loam Hv - Hoytville clay</p> <p>Hoytville map units were investigated across MLRA99 in Ohio and Indiana. Symbols for new map units are the same in all counties. One DMU is used for each new map unit in all counties.</p> <p>Jeff Glanville</p> <p>05/25/2011 - Edited Comp % RV for minor components in HeB and HeC. Jeff Glanville</p> <p>03/20/2012 - Deleted blank rows in Horizon Fragments in Ca, Ed, Ma, and Wc. Deleted blank rows in Component Month for Wk. Jeff Glanville</p> <p>FY2014 - Replaced DMU's for 2 map units as a result of sdjr projects: BnA - Blount loam, 0 to 2 percent slopes BnB - Blount loam, 2 to 6 percent slopes</p> <p>BmA was deleted and acres added to BnA.</p> <p>Jeff Glanville 11-14-2013</p> <p>for FY2015 - Added new map units as a result of sdjr projects: BsD - Boyer loamy sand, 12 to 18 percent slopes GlB2 - Glynwood loam, 2 to 6 percent slopes, eroded Pa - Paulding clay, 0 to 1 percent slopes Sh - Shoals loam, 0 to 2 percent slopes, frequently flooded</p> <p>The following map units were deleted: BsD - Boyer gravelly loamy sand, 12 to 18 percent slopes GlB2 - Glynwood loam, 2 to 6 percent slopes, moderately eroded Pa - Paulding clay Sh - Shoals loam</p> <p>Replaced DMU for several map units as a result of sdjr projects: BrB - Boyer loamy sand, 1 to 6 percent slopes BrC - Boyer loamy sand, 6 to 12 percent slopes GlB - Glynwood loam, 2 to 6 percent slopes</p> <p>Also includes calculated values for the 8 stored interpretations, as required by National Bulletin 430-14-3.</p> <p>Jeff Glanville 09-15-2014</p> |